

**Table (1): Distribution of the studied patients according to age and gender**

(No.=100).

<b>Characteristics</b>	<b>Summary statistics</b>
Age (year)	
Mean± S.D.	<b>32.28 ± 9.59</b>
Median (IQ range)	<b>31.5 (25 – 37.5)</b>
Gender	
Male	<b>9 (9%)</b>
Female	<b>91 (91%)</b>

**Table( 2).** SLEDAI score

SLEDAI	
Mean± S.D.	<b>11.92 ± 3.92</b>
Median (IQ range)	<b>12 (9.25 – 14)</b>

**Table (3): Distribution of the studied patients according to renal biopsy  
(No.=100).**

Renal biopsy	No. (%)
Normal	
Class I LN	15 (15%)
Class II LN	5 (5%)
	73 (73%)
Class III LN	7 (7%)

**Table (4): the relation between renal biopsy and SLEDAI (No.=100)**

Investigations			Renal biopsy		<b>P-value</b>
			<b>Normal</b>	<b>Class I LN</b>	
	<b>15 (15%)</b>	<b>5 (5%)</b>	<b>73 (73%)</b>	<b>7 (7%)</b>	
SLEDAI					
Mean± S.D.	10.6 ± 3.91	8.2 ± 3.03	12.05 ± 3.66	16 ± 3.92	0.004*
Median (IQ range)	10 (8 – 13)	9 (5 – 11)	12 (10 – 14)	16 (13 – 19)	