Table4: Comparison among types of IBS as regard H. pylori SAT

Types of IBS	Mean ± SD	P value	
	Median (range)		
No IBS	0.11±0.15	0.0007	
	0.1 (0-0.36)		
Type C	0.20±0.22		
	0.13 (0-0.9)		
Type D	0.12±0.15		
	0.03 (0-0.5)		
Type M	0.11±0.15		
	0.1 (0-0.36)		
Type U	0		
p1=0.0001, p2=0.01,p3=0.05,p4=1.00, p5=0.10, p6=0.36,			
p7=0.01, p8=0.82, p9=0.12, p10=0.14			

(p1compared no IBS with type C, p2compared no IBS with type D,p3compared no IBS with type M,p4compared no IBS with type U, p5 compared with type C &D, p6compared with type C &M, p7compared with type C &U, p8 compared with type D&M, p9 compared with type D&U, p10 compared with type M)

Comparison among types of IBS as regard H. pylori SAT

Number (%)	H. pylori SAT Negative	H. pylori SAT Positive	P value
()	Number (%)	Number (%)	
No IBS	14 (100%)	0	
Type C	11 (33.33%)	22 (66.67%)	
Type D	12 (50.00%)	12 (50.00%)	< 0.0001
Type M	2 (40.00%)	3 (60.00%)	
Type U	4 (100%)	0	
p1<0.0001, p2=0.001,	p3=0.01,p4=1.0, p5=0.2	1, p6=1.00, p7=0.02, p8	S=1.00, p9=0.11,
	p10=0.1	7	

(p1compared no IBS with type C, p2compared no IBS with type D,p3compared no IBS with type M,p4compared no IBS with type U, p5 compared with type C &D, p6compared with type C &M, p7compared with type C &U, p8 compared with type D&M, p9 compared with type D&U, p10 compared with type M &U)

Comparison among grades of IBS as regard H. pylori:

Grades of IBS	Mean ± SD	P value
	Median (range)	
No IBS	0	
Grade 1	0.08±0.09	
	0.07 (0-0.4)	
Grade 2	0.14 ± 0.18	0.0001
Grade 2	0 (0-0.5)	
Grade 3	0.35±0.25	
	0.45 (0-0.9)	
p1=0.0008, p2=0.03,p3=0.0007,p4=0.77, p5=0.002, p6=0.01		

(p1compared no IBS with grade1, p2compared no IBS with grade2,p3compared no IBS with grade3, p4compared grade 1 &2, p5 compared with grade 1 & 3, p6compared with grade 2 &3)