

Table (1):Liver function tests in the studied groups

	Group I LC (n= 20)	Group II Control (n= 20)	P-value
	Mean ± SD	Mean ± SD	I versus II
ALT (IU/ L)	73.9 ± 27.4 45-123	27.45 ± 6.6 15-39	0.02(Sig)
AST (IU/ L)	81.65± 24.67 35-138	32.55 ± 6.5 18-41	<0.001(HS)
TP (g/ dL)	6.1 ± 0.48 5.3-6.9	7.29 ± 0.35 6.6-7.9	<0.001(HS)
Albumin(g/ dL)	2.2 ± 0.41 1.5-2.8	4.55 ± 0.46 3.9-5.2	<0.001(HS)
T.Bil (mg/ dL)	3.3 ± 0.95 1.6-4.9	0.7 ± 0.16 0.5-1	0.04 (Sig)
ALP (IU/ L)	111.6 ± 95.37 35-361	53.1 ± 14.9 35-92	0.03(Sig)

Table (2):AFP and CLU in the studied groups

	Group I LC (n= 20)	Group II Control (n= 20)	P value
	Mean ± S.D	Mean ± S.D	I versus II
AFP (ng/ mL)	21.49 ± 21.17 0.9-60.2	2.28 ± 1.33 0.5-5.2	<0.01(HS)
CLU (µg/ mL)	88.3 ± 30.7 32-150	110.7 ± 30.1 60-164	=0. 03(Sig)