, Table 1

Demoghraphic data of the patients

Table 2

MRI findings of the patients

Table 3

Treatments modalities

Table 1

Patient group	Demographic data
No. 18	
	Age in years
(17-40)	Range (Min-Max):
26	Mean:
	Sex
8 (44.5%)	Male: No. (%)
10 (55.5%)	Female: No. (%)
	Side
2 (11.1 %)	Right : No (%)
6 (33.4 %)	Left : No (%)
10(55.5)	Bilateral: No (%)

Table 2

MRI finding	Patients group
	10 of 18
Disc postion	
Normal no %	2 (20%)
ADDWR no %	6 (60%)
ADDWOR no %	2 (20%)
Disc morphology	
Normal	3 (30%)
Abnormal	7 (70%)
Disc mobility	
Normal	6 (60%)
Limited	3 (30%)
Stuck	1 (10%)
OA	
Present no %	4 (40%)
Absent no %	6 (60%)
Bone marrow edema	
Present no %	1 (10%)
Absent no %	9 (90%)
Effusion	

6 (60%)	Present no %
4 (40%)	Absent No %

Table 3

Patient group	Treatment modalities
No. (%)	
Male 4(25%)	Medical treatment
Female 4 (25%)	
Male 1 (6.25%)	Relaxation
Female 0	
Male 0	Splint
Female 2 (12.5%)	
Male 0	Arthrocentesis
Female 1 (6.25%)	
Male 0	Arthroscopy (diagnostic and therapeutic)
Female 2 (12.5%)	
Male 0	Discectomy
Female 1(6.25%)	
Male 1 (6.25%)	Condylectomy with arthroplasty with
Female 0	interpostioning temporalis fascia flap