

**Table (1):** Comparison between the 2 studied groups regarding some parameters

Parameters:	Group I	Group II	P-value
	N=10	N=40	
Age (years)	48.1±5.8	34.5±12.02	0.248
Gender (M/F)	7/3	33/7	0.314
<b>Residence (Rural/Urban)</b>	7/3	30/10	0.515

**Table (2):** Comparison of liver functions tests between the 2 studied groups of patients.

Parameters:	Group I	Group II	P-value
	N=10	N=40	
ALT (IU/L)	95.1±55.76	48.48±29.86	<0.001
AST (IU/L)	91.93±47.9	56.7±34.2	0.01
PT(Sec)	13.2±1.06	12.57±0.94	0.072
TBL(mg/dL)	1.25±0.37	1.06±0.34	0.045
Albumin(g/dl)	3.6±0.71	4.49±0.7	<0.001
CD41	5.8±2.86	3.43±3.03	<0.001
PDGFR- $\beta$	6.9±3.6	5.27±3.92	<0.001

Significant P values are in Bold.



**Fig (1):** Comparison of Immunohistochemical expression of CD41 and PDGFR  $\beta$  among PLTs groups.

**Table (3):** PLTs count, AWs of immunohistochemical expression of CD41, and PDGFR  $\beta$  in different stages of chronic hepatitis.

	<b>Stages (0-1-2)</b>  <b>N=40</b>	<b>Stage (3)</b>  <b>N=10</b>	<b>P-value</b>
<b>PLT count</b>	280 $\pm$ 100.88	237.2 $\pm$ 133.83	0.023
<b>CD41</b>	5.88 $\pm$ 3.24	7.26 $\pm$ 3.53	<b>&lt;0.01</b>
<b>PDGFR- <math>\beta</math></b>	6.7 $\pm$ 3.6	9.2 $\pm$ 2.7	<b>0.04</b>

Significant P values are in Bold.