

As regarding results of posterior approach according to Arch Orthop Trauma Surg
(2016)

Journal	Number of patients (n)	Time to union	Rate of nonunion	ostoperative radial nerve palsy
Yin P, Zhang L et al 2014	26 patients	12.96 weeks	Not reported	3/26– (11.5 %)
Singh AK, Narsaria N et al 2014	220 patients (102 patients-LCDCP; 110 patients-LCP)	LCDCP 17.2 weeks;; LCP: 15.8 weeks	15/220 delayed Union (6.8 %) 5/220 nonunion (2.8 %)	3/102 – LCDCP (2.9 %) 4/110 – LCP(3.6 %)7/220 (3.3 % overall)
Wang C, Li J, et al 2015	53 patients (27 patients-ORIF; 26 patients MIPO)	Not reported	3/45 (6.7 %)	3/27- ORIF (11 %) 1/26- MIPO (3.8 %) 4/53(7.5%overall)
Claessen FM, Peters RM et al 2015	259 patients compared by approach)	Not reported	Not reported	2/9- lateral (22 %) 9/85-Posterior (11 %)
Esmailieh AA et al 2015	65 patients33 ORIF; 32 MIPO	Median time to union4 months MIPO; 5 months in conventional ORIF	4/65 (6.2 %)	1/32–MIPO (3 %); 4/33 ORIF (12 %) 65(7.7 % overall)

When combined, these studies collectively report a 5.3 % rate of iatrogenic radial nerve palsy (3.8–7.5 %)